

read2SNPs

an efficient tool for detecting SNPs without a reference genome

v2.1.0.0

User's guide – July 2013

contacts: pierre.peterlongo@inria.fr

CeCILL License

Copyright INRIA

This software is a computer program whose purpose is to find all the similar reads between two set of NGS reads. It also provide a similarity score between the two samples.

This software is governed by the CeCILL license under French law and abiding by the rules of distribution of free software. You can use, modify and/ or redistribute the software under the terms of the CeCILL license as circulated by CEA, CNRS and INRIA at the following URL "<http://www.cecill.info>".

As a counterpart to the access to the source code and rights to copy, modify and redistribute granted by the license, users are provided only with a limited warranty and the software's author, the holder of the economic rights, and the successive licensors have only limited liability.

In this respect, the user's attention is drawn to the risks associated with loading, using, modifying and/or developing or reproducing the software by the user in light of its specific status of free software, that may mean that it is complicated to manipulate, and that also therefore means that it is reserved for developers and experienced professionals having in-depth computer knowledge. Users are therefore encouraged to load and test the software's suitability as regards their requirements in conditions enabling the security of their systems and/or data to be ensured and, more generally, to use and operate it in the same conditions as regards security.

The fact that you are presently reading this means that you have had knowledge of the CeCILL license and that you accept its terms.

Publication

Publication is in preparation

IN/OUT in a few words

Software **read2SNPs** is designed for extracting Single Nucleotide Polymorphism (SNP) from raw set(s) of reads obtained with Next Generation Sequencers (NGS).

The number of input read sets is not constrained, it can be one, two, or more. No other data such as a reference genome or annotations are needed.

Note that this tool is specially designed to use only a limited amount of memory (3 billions reads of size 100 can be treated with less that 6GB memory).

The software is composed of two modules. The first module, **kissnp2**, detects SNPs from read sets. The second module, **kissreads**, enhances the kissnp2 results by computing per read set and for each found SNP i/ its mean read coverage and ii/ the average (phred) quality of reads generating the polymorphism.

Download

Read2SNPs web page – <http://colibread.inria.fr/read2SNPs> – provides links for downloading the software. Please read and accept the CeCILL license before downloading.

Installation

- Unzip the downloaded package :
`# unzip read2SNPs_versionnumber.zip`
- Get into the newly created *read2SNPs* directory:
`# cd read2SNPs`
- Compile the two modules (kissnp and kissreads) with the single command:
`# ./compile_kissnp_kissreads.sh k_value`

Note about the k value:

Replace *k_value* by the value of the kmer that you wish to use.

No need to recompile for any values below or equal to 31

No need to recompile for any values in [32,63]

No need to recompile for any values in [64,127]

...

By default, *k=31* (value used both for compiling and in runtime).

- If you wish to recompile (for instance for changing the *k* value from any value below or equal to 31 to any value bigger or equal to 32) first clear the previously compiled executables:
`# ./clear_kissnp_kissreads.sh`

This installation process should generate the “tool” directory containing the two executables : *kissnp2* and *kissreads*.

Running read2snps

- **Modify the *run_read2SNPs.sh* file header or use it with parameters (see below).** You will provide the following information:
 - *read_sets="readref.fasta readsnp.fastq.gz"*: localization of the read files. Note that these files may be in fastq, or fasta, gzipped or not.
 - *prefix="test_ref"*: all temp and final files will be written will start with this prefix
 - *k=31*: size of kmers
 - *c=4*: minimal kmer coverage
 - *d=1*: max number of errors per read (used by kissreads only)
 - *g=10000000*: estimated genome size. Used only to control kissnp2 memory usage. e.g. 3 billion (3000000000) uses 4Gb of RAM.
 - *PATH_RS="./tools/"*: where the two executables are. If you decide to copy them in a directory member of the PATH environment variable (e.g. /usr/local/bin), just set *PATH_RS=""*
- Additionally you may change some kissnp2 / kissreads options. In this case you may change the two corresponding lines in the *run_read2SNPs.sh* file. To know the possible options, type *./tools/kissnp2* and/or *./tools/kissreads* without options. Note that usually, changing these options is not necessary.
- Note that **you may also specify the parameters in command line fashion**. For instance:
`# ./run_read2SNPs.sh -r "data_sample/reads_sequence1.fasta
data_sample/reads_sequence2.fasta.gz" -p test_ref -k 31 -c 4 -d 1 -g 10000000`

- Note that command line parameters have the higher priority than those hard coded in the .sh file.
- Just type “./run_read2SNPs.sh -h” to obtain the list of parameters.
- **Sample example:**
 - By default, if you just type:
`# ./run_read2SNPs.sh`
read2snps will be run on a toy example of reads contained in the *data_sample* directory. Among others this will generate the file *test_ref_k_31_c_4_coherent.fa* containing the found SNPs, ranked with respect to their coverages.

Output

- **Final results are in *prefix_coherent_k_kval_c_cval.fa* file.** This is a simple fasta file composed of a succession of pairs of sequences. Each pair corresponds to a SNP. Let's look at an example :

```
>SNP_higher_path_3|high|left_contig_length_86|right_contig_length_52|C1_78|C2_5|rank_0.89839
tcctaccgcgctctgtggaagtcacattgatcggttgctgtagaaaaaacttaataaacagaatgccgatgaaggcactactgtACTAATAGGGCC
GGGCTACATGTAACTACAAGGCTATAACCTATTGATGACCCGGTCCATacataacttggtatcgtgcatgtagcgttcaag
ggctatagcaattccgacg
```

```
>SNP_lower_path_3|high|left_contig_length_86|right_contig_length_52|C1_4|C2_91|rank_0.89839
tcctaccgcgctctgtggaagtcacattgatcggttgctgtagaaaaaacttaataaacagaatgccgatgaaggcactactgtACTAATAGGGCC
GGGCTACATGTAACTACTAGGCTATAACCTATTGATGACCCGGTCCATacataacttggtatcgtgcatgtagcgttcaag
ggctatagcaattccgacg
```
- In this example a SNP A/T is found (underlined here). The central sequence of length 2k-1 (here 2*31-1=61) is seen in upper case, while the two (left and right) extensions are seen in lower case.
- The comments are formatted as follow :

```
>SNP_higher/lower_path_id|high/low|left_contig_length_int|right_contig_length_int|C1_int|
C2_int|[Q1_int|Q2_int]|rank_float
```

 - *higher/lower*: one of the two alleles
 - *id*: id of the SNP: each SNP (couple of sequences) has a unique id, here 3.
 - *high/low*: sequence complexity. If the sequence is of low complexity (e.g. ATATATATATATATAT) this variable would be *low*
 - *left_contig_length*: size of the left extension. Here 85
 - *right_contig_length*: size of the right extension. Here 51
 - *C1*: number of reads mapping the central upper case sequence from the first read set
 - *C2*: number of reads mapping the central upper case sequence from the second read set
 - *C3* [if input data were at least 3 read sets]: number of reads mapping the central upper case sequence from the third read set
 - *C4*, *C5*, ...
 - *Q1* [if reads were given in fastq]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the first read set.
 - *Q2* [if reads were given in fastq]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the second read set.

- Q3 [if the data were at least 3 fastq read sets]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the third read set.
- Q4, Q5, ...
- rank: ranks the predictions according to their read coverage in each condition favoring SNPs that are discriminant between conditions (Phi coefficient) (see publication)

Output Analyze

- **From a fasta format to a csv format:** If you wish to analyze the results in a tabulated format:
 - `#python output_analyses/read2snps_to_csv.py read2snp_output.fa`
 - will output a .csv tabulated file containing on each line the content of 4 lines of the .fa, replacing the '|' character by spaces and removing the CX_
 - example with previously used SNP example:

```
>SNP_higher_path_3 high left_contig_length_86 right_contig_length_52 78 5 rank_0.89839
tctctaccgcgctctgtggaagtgcacttgatcggttttctgtagaaaaacttaataacagaatgccgatgaaggcactactgtACTAATAGGGCCGGGCTACATGTAACTACAAGGCTA
TAACCTATTGATGACCCGGTCCATacataacttgatcgtgcatgtagcgttcaaggcctatagcaattccgacg >SNP_lower_path_3 high left_contig_length_86
right_contig_length_52 4 91 rank_0.89839
tctctaccgcgctctgtggaagtgcacttgatcggttttctgtagaaaaacttaataacagaatgccgatgaaggcactactgtACTAATAGGGCCGGGCTACATGTAACTACTAGGCTA
TAACCTATTGATGACCCGGTCCATacataacttgatcgtgcatgtagcgttcaaggcctatagcaattccgacg
```

- **Genotyping the results:** If you wish to genotype your results:
 - `#python output_analyses/read2snps_to_genotypes.py read2snp_output.fa threshold_value`
 - will output a file containing on each line the “genotypes” of a SNP. For each input data set it indicates if the SNP is:
 - heterozygous ALT1 path (coverage ALT1 >= threshold and ALT2 < threshold): **1**
 - heterozygous ALT2 path (coverage ALT1 < threshold and ALT2 >= threshold): **-1**
 - homozygous (coverage ALT1 >= threshold and ALT2 >= threshold): **2**
 - absent (coverage ALT1 < threshold and ALT2 < threshold): **0**
 - then it outputs the central sequence of length 2k-1 replacing the central position by ALT1/ALT2
 - example with previously used SNP example and threshold 20:

```
GENOTYPES_SNP_3_THRESHOLD_20 1 -1 TACTAATAGGGCCGGGCTACATGTAACTACA/TAGGCTATAACCTATTGATGACCCGGTCCATA
```

Misc.

- Running read2snps generates a set of files used for indexing the reads. This are all files with suffixes:
 - `.solid_kmers_binary`, `.reads_binary`, `.false_positive_kmers`, `.debloom2`, and `.debloom`
 With large read sets, these files may consume disk space. You may remove all of them after the read2snps pipeline is over:


```
# rm -f *.solid_kmers_binary *.reads_binary *.false_positive_kmers *.debloom2 *.debloom
```

 Note that if you wish to re-run the pipeline without changing option among *k*, *c* and *C* (in *kissnp2_exe*) it is smart not to remove these files as they will be recomputed.