

discoSnp++

Reference-free detection of SNPs and small indels

v2.0.6

User's guide – March 2015

contact: pierre.peterlongo@inria.fr

Table of contents

| | |
|--|---|
| GNU AFFERO GENERAL PUBLIC LICENSE | 1 |
| Publication..... | 1 |
| discoSnp++ features at a glance..... | 1 |
| Quick starting..... | 1 |
| Download and install..... | 2 |
| Running discoSnp++..... | 2 |
| Output..... | 3 |
| Extensions: differences between unitig and contigs | 5 |
| Output Analyze..... | 5 |
| Exemples of close SNPs and indels..... | 5 |

GNU AFFERO GENERAL PUBLIC LICENSE

Copyright INRIA

Read and accept the GNU AFFERO GENERAL PUBLIC LICENSE. See the LICENCE text file.

Publication

R. Uricaru, G. Rizk, V. Lacroix, E. Quillery, O. Plantard, R. Chikhi, C. Lemaitre, and P. Peterlongo, “Reference-free detection of isolated SNPs.,” Nucleic acids research, vol. 33, pp. 1–11, Dec. 2014.

discoSnp++ features at a glance

Software **discoSnp++** is designed for extracting Single Nucleotide Polymorphism (SNP) and small indels from raw set(s) of reads obtained with Next Generation Sequencers (NGS).

Note that this tool is specially designed to use only a limited amount of memory (3 billions reads of size 100 can be treated with less than 6GB memory).

The software is composed of two independent modules. The first module, **kissnp2**, detects SNPs and indels from read sets. The second module, **kissreads**, enhances the kissnp2 results by computing per read set and for each predicted polymorphism i/ its mean read coverage and ii/ the average (phred) quality of reads generating the polymorphism.

Quick starting

- Download and uncompress the discoSnp++

- Compile programs:
 - “./compile_discoSnp++.sh”
- Run the simple example:
 - ./run_discoSnp++.sh -r "data_sample/reads_sequence1.fasta.gz
data_sample/reads_sequence2.fasta.gz -T"

This creates a fasta file called ***discoRes_k_31_c_4_D_0_P_1_b_0_coherent.fa*** containing the found SNPs.

Download and install

Download from discoSnp++ web page – <http://colibread.inria.fr/dicosnp/>. Please read and accept the license before downloading.

- Uncompress the downloaded package :


```
# tar -xvzf DiscoSNP-[Version_number]-Source.tar.gz
```
- Get into the newly created *discoSnp* directory:


```
# cd DiscoSNP-[Version_number]-Source
```
- Compile all three tools (graph creation, kissnp2, kissreads)


```
# ./compile_discoSnp++.sh
```

Running discoSnp++

- The main script ***run_discoSnp++.sh*** automatically runs the two modules (SNP detection and read coverage and quality computations). You will provide the following information:
 - -r (read_sets) “readref.fasta readsnp.fastq.gz”: localization of the read files. Note that these files may be in fastq, or fasta, gzipped or not. If there are more than one read file, then they must be surrounded by the " character and they are separated by space. This is the only mandatory parameter.
 - -g: reuse a previously created graph (.h5 file) with same prefix and same k, c and C parameters. Using this option enables to reuse a graph created during a previous experiment with same prefix name same k, c and C values. Else, by default, if such a graph exists, it is overwritten. WARNING: use this option only if you are sure the read set(s) used are the same than those previously used for creating the graph.
 - -b branching_strategy: branching filtering approach. This parameters influences the precision recall.
 - 0: variants for which any of the two paths is branching are discarded (high precision, lowers the recall in complex genomes). Default value
 - 1: (smart branching) forbid SNPs for which the two paths are branching (e.g. the two paths can be created either with a 'A' or a 'C' at the same position)
 - 2: No limitation on branching (lowers the precision, high recall)"
 - [beta] -D value. If specified, discoSnp++ will search for deletions of size from 1 to D included. Default=0
 - [beta] -P value. discoSnp++ will search up to P SNPs in a unique bubble. Default=1.
 - -p prefix_name: All out files will start with this prefix. Default="discoRes"
 - -l: accept low complexity bubbles
 - -k kmer_size: size of kmers (default: 31)
 - -t: extends each polymorphism with left and right unitigs
 - -T: extends each polymorphism with left and right contigs
 - -c value. Minimal coverage per read set: Used by kissnp2 (don't use kmers with lower coverage) and kissreads (read coherency threshold). Default=4

- [beta] -C value. Maximal coverage per read set: Used by kissnp2 (don't use kmers with higher coverage). Default=2^31-1
 - -d error_threshold: max number of errors per read (used by kissreads only). Default 1
 - -n: do not compute the genotypes
 - -h: show help.
 - Additionally you may change some kissnp2 / kissreads options. In this case you may change the two corresponding lines in the *run_discoSnp++.sh* file. To know the possible options, run *.kissnp2* and/or *kissreads* without options. Note that usually, changing these options is not necessary.

- **Sample example:**

- You can test discoSnp++ on a toy example containing 3 SNPs. In the discoSnp++ directory, type:

```
./run discoSnp++.sh -r "data sample/reads sequence1.fasta data sample/reads sequence2.fasta.gz" -T
```

(use -T in order to obtain the left and right contigs of each found polymorphism)

Output

(Results with close SNPs and indels are given at the end of this document)

- **Final results are in *discoRes_k_31_c_4_D_0_P_1_b_0_coherent.fa* file.** This is a simple fasta file composed of a succession of pairs of sequences. Each pair corresponds to a SNP. Let's look at an example :

>SNP_higher_path_3|P_1:30_C/G|high_nb_pol_1|left_unitig_length_86|right_unitig_length_261|
left_contig_length_168|right_contig_length_764|C1_124|C2_0|G1_0/0|G2_1/1|rank_1.00000

```
>SNP_lower_path_3|P_1:30_C/G|high|nb_pol_1|left_unitig_length_86|right_unitig_length_261|
left_contig_length_168|right_contig_length_764|C1_0|C2_134|G1_0/0|G2_1/1|rank_1.00000
```

cgtcggaaatgtctatagcccttgcacgctacatgcacgataccaagttatgtatggaccgggtcatcaataggtaatgccttgtatgttaacatgttagccggc
cttattagtacagtagtgccttcatcgccattctgtttattaaagtttttctacagcaaaaacgatCAAGTGCACCTCCACAGAGCGCGGTAGA
GACTCATCCACCCGGCAGCTCTGTAATAGGGACtaaaaaaagtgtatgataatcatgagtgccgcgttatgggtgtcggtatcgag
cggtttacgaccagtcgtatgccttcgcgttccgcgtttaagcggtacagtgccagtgaacccacaaacgtgtatggctgtcctggagtatcgca
agaaggatggctccagacaccggcgcaccagtttacgcggaaagcataaaacgcacgcacatatacgatgagactgtttagaactggacgtgcgggttctgt
cgaagaacacccctcgagcttgtgcgttgtgcgtccgtatgcgtgtcgacatatactttgttcaacgcactgcgcgttgcgtatccctagacagtc
aacagtaagcgttttgttaggcaggggcctccctgtgactaactgcgcctaaacatctcgatccccctgtccaaatctaactcaccgaattttacattta
gaccctaaatacatacatagatatttgtccactgcctaaattctgtccacaagcggtttagtgtcccccagttaaagtgttataaactgcactaccuaatccg
catgttacgggacttcttattaaattcttttgcgttggggcagcggatcttataatggatggccgcgggtgtatggaaactaataatgcgggttgcgggtat
cagccgtgtccaccacacaacgcatactggcgattctataagatccgcatttgcgttacttataagatgtctcaacgggtatccgc

- In this example a SNP G/C is found (underlined here and indicated in the comment). The central sequence of length $2k-1$ (here $2*31-1=61$) is seen in upper case, while the two (left and right) extensions are seen in lower case.
 - The comments are formatted as follow :

>SNP higher/lower path id|P i:pos Alt1/Alt2|high/low|left unitig length int

*right_unitig_length_int|left_contig_length_int|right_contig_length_int|C1_int|C2_int|
[Q1_int|Q2_int]|rank_float*

- *higher/lower*: one of the two alleles
- *id*: id of the SNP: each SNP (couple of sequences) has a unique id, here 3.
- **[FOR SNPs]** *P_i:pos_Alt1/Alt2*: Information about a i^{th} SNP (If more than a unique SNP is found, the following format is used: *P_1:pos_Alt1/Alt2,P_2:pos_Alt1/Alt2,...*)
 - *pos*: position of the SNP with respect to the starting position of the bubble, i.e. the starting of the upper case sequence.
 - *Alt1*: One of the two alleles
 - *Alt2*: the other
- **[FOR INDELS]** *P_1:pos_size_repeatSize*
 - *pos*: predicted position of the indel with respect to the starting position of the bubble, i.e. the starting of the upper case sequence.
 - *size*: predicted size of the indel
 - *repeatSize*: Size of the longest sequence both prefix of the indel and prefix of the sequence located just after the insertion. **Remark**. This information is useful as the real indel may be located in $[pos, pos+repeatSize]$.
- *high/low*: sequence complexity. If the sequence is of low complexity (e.g. ATATATATATATATAT) this variable would be *low*
- *nb_pol*: number of polymorphism.
- *left_unitig_length*: size of the full left extension. Here 86
- *right_unitig_length*: size of the right extension. Here 261
- *left_contig_length*: size of the full left extension. Here 169
- *right_contig_length*: size of the right extension. Here 764
- *C1*: number of reads mapping the central upper case sequence from the first read set
- *C2*: number of reads mapping the central upper case sequence from the second read set
- *C3* [if input data were at least 3 read sets]: number of reads mapping the central upper case sequence from the third read set
- *C4, C5, ...*
- *Q1* [if reads were given in fastq]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the first read set.
- *Q2* [if reads were given in fastq]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the second read set.
- *Q3* [if the data were at least 3 fastq read sets]: average phred quality of the central nucleotide (here A or T) from the mapped reads from the third read set.
- *Q4, Q5, ...*
- *G1*: Genotype of the variant in the first read set (considering the higher path as the

reference)

- G2: Genotype of the variant in the second read set (considering the higher path as the reference)
- G3, G4, ...
- rank: ranks the predictions according to their read coverage in each condition favoring SNPs that are discriminant between conditions (Phi coefficient) (see publication)

Extensions: differences between unitig and contigs

By default in the pipeline, the found SNPs (of length 2k-1) are extended using a contig. The output contains such contigs and their lengths are shown in the header (left_contig_length and right_contig_length). Moreover, a contig may hide some small polymorphism such as substitutions and/or indels. The output also proposes the length of the longest extension not containing any such polymorphism. These extensions are called unitigs (defined as « A uniquely assembleable subset of overlapping fragments »).

Output Analyze

- **From a fasta format to a csv format:** If you wish to analyze the results in a tabulated format:
 - `# python output_analyses/discoSnp++_to_csv.py discoSnp++_output.fa`
 - will output a .csv tabulated file containing on each line the content of 4 lines of the .fa, replacing the '|' character by comma ',' and removing the CX_

Exemples of close SNPs and indels

Exemple of a multiple SNP:

```
>SNP_higher_path_766|P_1:30_A/T,P_2:34_C/G|high|nb_pol_2|C1_0|C2_0|C3_28|G1_I/I|G2_I/I|G3_0/0|rank_1.00000  
AGCGCACACAAGGCAGTGGCTGGATATAATGCCGCTGGTCGCCGGAAACAGGTTGCCATT  
>SNP_lower_path_766|P_1:30_A/T,P_2:34_C/G|high|nb_pol_2|C1_45|C2_43|C3_0|G1_I/I|G2_I/I|G3_0/0|rank_1.00000  
AGCGCACACAAGGCAGTGGCTGGATATTATGCCGCTGGTCGCCGGAAACAGGTTGCCATT
```

Note that a unique genotype is proposed for close SNPs

Exemple of an indel:

```
>INDEL_higher_path_3756|P_1:30_8_3|high|nb_pol_1|C1_28|C2_0|C3_0|G1_0/0|G2_I/I|G3_I/I|rank_1.00000  
AGGCGACCGAGAAAATGGAGAACGTGCGCATCGCTGTTATTAAATGCCGTTCGCG  
>INDEL_lower_path_3756|P_1:30_8_3|high|nb_pol_1|C1_0|C2_42|C3_44|G1_0/0|G2_I/I|G3_I/I|rank_1.00000  
AGGCGACCGAGAAAATGGAGAACGTGCGCAAGCGGGCATCGCTGTTATTAAATGCCGTTCGCG
```